



Certificate of Analysis

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

5-Amino-1MQ / NAD+ - 50/50mg

PASS



Tested for: NextGen Peptides

www.NGpeptide.com

COA #: COA-2026-TEG6QB
Lot Number: NGP-5AM50
Accession #: ACC-2026-0892
Concentration: 50/50mg
Sample Matrix: Encapsulated

Method: Full QC Panel
Analysis Date: 03/28/2026
Appearance: Good
Volume: N/A
Received: 03/26/2026



Scan to verify
authenticity at ils-lab.com

Identity

5-Amino-1MQ / NAD+

Purity

99.49%

Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	> 95%	99.49%	%	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Bacterial Endotoxin (LAL)	NMT 0.05 EU/mL	Pending		PENDING

Notes & Methodology

1. Date Tested: 04/15/2026. Methods: Full QC Panel.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
03/28/2026

COA #: COA-2026-TEG6QB
Access Code: QHRNEA3G
Verify: portal.ils-lab.com/verify/fZ8AwRCeZIB0qiDo
Issued: 03/28/2026