

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GHK-Cu - 50mg

PASS

Tested for: NextGen Peptides
www.NGpeptide.com

COA #: COA-2026-CYKWYE
Lot Number: GHK09
Accession #: ACC-2026-0672
Concentration: 50mg

Method: Full QC Panel
Analysis Date: 04/16/2026
Appearance: Good
Volume: 3mL
Received: 04/08/2026



Scan to verify
authenticity at ils-lab.com

Identity

GHK-Cu

Purity

99.97%


Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.97%	%	PASS
Net Peptide Content	Report Only	52.48	mg	N/A

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Identity (ID)	GHK-Cu	Confirmed	-	PASS

HPLC Chromatogram



GHK-Cu 50mg - GHK09: UV Chromatogram



Dr. Greg Kalyuzhny
Lab Director
4/18/2026

COA #: COA-2026-CYKWYE
Access Code: XLAKD2UO
Verify: portal.ils-lab.com/verify/qiVmQCzJMTkSYWf
Issued: 4/18/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GHK-Cu - 50mg

PASS**Tested for: NextGen Peptides**www.NGpeptide.com

COA #: **COA-2026-CYKWYE**
Lot Number: **GHK09**
Accession #: **ACC-2026-0672**
Concentration: **50mg**

Method: **Full QC Panel**
Analysis Date: **04/16/2026**
Appearance: **Good**
Volume: **3mL**
Received: **04/08/2026**



Scan to verify
authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	No Growth	-	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.05 EU/mL	NMT 0.05 EU/mL		PASS

Notes & Methodology

- Date Tested: 04/16/2026. Methods: Full QC Panel; Purity & Quant (HPLC).
- The sample was confirmed to be GHK-Cu by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.



Dr. Greg Kalyuzhny
Lab Director
4/18/2026

COA #: **COA-2026-CYKWYE**
Access Code: **XLAKD2UO**
Verify: portal.ils-lab.com/verify/qiVmQCzJMTkSYWf
Issued: 4/18/2026