

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC+TB - 10+10mg

PASS



Tested for: NextGen Peptides
www.NGpeptide.com

COA #: COA-2026-8V1NNO
Lot Number: BPTB20-04
Accession #: ACC-2026-0909
Concentration: 10+10mg
Sample Matrix: Lyophilized

Method: Full QC Panel
Analysis Date: 04/21/2026
Appearance: Good
Volume: 3mL
Received: 04/16/2026



Scan to verify
authenticity at ils-lab.com

Identity

BPC+TB

Purity

96.10%

Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	96.10%	%	PASS


Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Identity (ID)	BPC+TB	Confirmed	-	PASS
Identity (ID)	BPC-157;TB-4	Confirmed	N/A	PASS

Additional Tests

Analyte	Specification	Result	Unit	Status
Net Blend Peptide Content	Report Only	19.22	mg	N/A

HPLC Chromatogram



BPC+TB 10+10mg - BPTB20-04: UV Chromatogram



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
4/21/2026

COA #: COA-2026-8V1NNO
Access Code: GTJZ5W-L
Verify: portal.ils-lab.com/verify/dd2Lh6x_RbEIWPoz
Issued: 4/21/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC+TB - 10+10mg

PASS**Tested for: NextGen Peptides**www.NGpeptide.com

COA #: **COA-2026-8V1NNO**
Lot Number: **BPTB20-04**
Accession #: **ACC-2026-0909**
Concentration: **10+10mg**
Sample Matrix: **Lyophilized**

Method: **Full QC Panel**
Analysis Date: **04/21/2026**
Appearance: **Good**
Volume: **3mL**
Received: **04/16/2026**



Scan to verify
authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	No Growth	-	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.05 EU/mL	NMT 0.05 EU/mL		PASS

Notes & Methodology

- Date Tested: 04/21/2026. Methods: Full QC Panel; Blend Purity & Quant (HPLC); Additional Tests.
- The sample was confirmed to be BPC+TB by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.



Dr. Greg Kalyuzhny
Lab Director
4/21/2026

COA #: **COA-2026-8V1NNO**
Access Code: **GTJZ5W-L**
Verify: portal.ils-lab.com/verify/dd2Lh6x_RbEIWPoz
Issued: 4/21/2026