Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Cagrilintide - 5mg

PASS

Tested for: NextGen Peptides
www.NGpeptide.com

COA #:	**COA-2026-4W60GC**	Method:	**Purity & Quant (HPLC)**
Lot Number:	**CG05-08**	Analysis Date:	**05/06/2026**
Accession #:	**ACC-2026-1777**	Appearance:	**Good**
Concentration:	**5mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/01/2026**

Scan to verify authenticity at ils-lab.com

Identity	Purity
Cagrilintide	**99.35%**

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	**99.35%**	%	**PASS**
Net Peptide Content	Report Only	**5.12**	mg	N/A
Identity (ID)	Cagrilintide	**Confirmed**	-	**PASS**

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.24% purity, closest to batch mean of 99.21%)

HPLC Conformity Testing Results (4 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.24%	5.19 mg	Confirmed	**PASS**
Conformity V1	99.35%	5.12 mg	Confirmed	**PASS**
Conformity V2	99.10%	5.16 mg	Confirmed	**PASS**
Conformity V3	99.15%	5.32 mg	Confirmed	**PASS**
Mean	**99.21%**	**5.20 mg**	—	—
Std Dev	**0.0951%**	**0.0750 mg**	—	—

Dr. Greg Kalyuzhny
Lab Director
5/15/2026

COA #: COA-2026-4W60GC
Access Code: **0JNCCD-P**
Verify: portal.ils-lab.com/verify/BYMD2E_nsK4YSuvc
Issued: 5/15/2026

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Cagrilintide - 5mg

PASS

Tested for: NextGen Peptides
www.NGpeptide.com

COA #:	**COA-2026-4W60GC**	Method:	**Purity & Quant (HPLC)**
Lot Number:	**CG05-08**	Analysis Date:	**05/06/2026**
Accession #:	**ACC-2026-1777**	Appearance:	**Good**
Concentration:	**5mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/01/2026**

Scan to verify authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	**No Growth**	-	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	**0.163 EU/mL**		**PASS**

Notes & Methodology

1. Date Tested: 05/06/2026. Methods: Purity & Quant (HPLC).
2. The sample was confirmed to be Cagrilintide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.
4. Chromatogram shown is representative: Dedicated V0 (99.24% purity, closest to batch mean of 99.21%).

Dr. Greg Kalyuzhny
Lab Director
5/15/2026

COA #: COA-2026-4W60GC
Access Code: **0JNCCD-P**
Verify: portal.ils-lab.com/verify/BYMD2E_nsK4YSuvc
Issued: 5/15/2026