

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

KissPeptin - 10mg

PASS



Tested for: NextGen Peptides
www.NGpeptide.com

COA #: COA-2026-MUFUDN
Lot Number: KSP01
Accession #: ACC-2026-0196
Concentration: 10mg
Sample Matrix: White Lyophilized Powder

Method: Full QC Panel
Analysis Date: 03/31/2026
Appearance: Good
Volume: 3mL
Received: 03/25/2026



Scan to verify
authenticity at ils-lab.com

Identity

KissPeptin


Purity

99.30%

Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.30%	%	PASS
Net Peptide Content	Results Only	10.32	mg	PASS
Identity (ID)	Confirmed by RT	Confirmed		PASS

HPLC Chromatogram



Representative chromatogram, Dedicated Sample 1 (99.25% purity, closest to batch mean of 99.24%)

HPLC Conformity Testing Results (4 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated Sample 1	99.25%	10.15 mg	Confirmed	PASS
Conformity Sample 1	99.18%	10.09 mg	Confirmed	PASS
Conformity Sample 2	99.23%	10.24 mg	Confirmed	PASS
Conformity Sample 3	99.30%	10.32 mg	Confirmed	PASS
Mean	99.24%	10.20 mg	—	—
Std Dev	0.0430%	0.0875 mg	—	—



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
4/5/2026

COA #: COA-2026-MUFUDN
Access Code: RF20LC6E
Verify: portal.ils-lab.com/verify/uuqiCHBq3Zjtm8R
Issued: 4/5/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

KissPeptin - 10mg

PASS



Tested for: NextGen Peptides
www.NGpeptide.com

COA #: **COA-2026-MUFUDN**
Lot Number: **KSP01**
Accession #: **ACC-2026-0196**
Concentration: **10mg**
Sample Matrix: **White Lyophilized Powder**

Method: **Full QC Panel**
Analysis Date: **03/31/2026**
Appearance: **Good**
Volume: **3mL**
Received: **03/25/2026**



Scan to verify
authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	No Growth	-	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.05 EU/mL	NMT 0.05 EU/mL		PASS

Notes & Methodology

- Date Tested: 03/31/2026. Methods: Full QC Panel.
- The sample was confirmed to be KissPeptin by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.
- Chromatogram shown is representative: Dedicated Sample 1 (99.25% purity, closest to batch mean of 99.24%).



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
4/5/2026

COA #: **COA-2026-MUFUDN**
Access Code: **RF20LC6E**
Verify: <portal.ils-lab.com/verify/uuqiCHBq3Zjtnm8R>
Issued: 4/5/2026