



Certificate of Analysis

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Selank - 10mg

Tested for: NextGen Peptides

PASS

COA #: COA-2026-U0J8P4
Lot Number: SL05
Concentration: 10mg
Received: 04/08/2026

Method: Full QC Panel, Purity & Quantit...
Analysis Date: 04/16/2026
Appearance: Good
Volume: 3mL



Scan to verify
authenticity at ils-lab.com

Identity

Selank

Purity

99.68%

Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.68%	%	PASS
Net Peptide Content	Report Only	10.47	mg	N/A
Sterility (PCR)	No Growth	No Growth	-	PASS
Endotoxin (USP <85>)	< 0.05 EU/mL	NMT 0.05 EU/mL		PASS


Date Tested: 04/16/2026 | Method: Full QC Panel

Additional Tests

Analyte	Specification	Result	Unit	Status
Identity (ID)	Selank	Confirmed	-	PASS

Date Tested: 04/16/2026 | Method: Additional Tests

HPLC Chromatogram



Selank 10mg - SL05: UV Chromatogram

The sample was confirmed to be Selank by HPLC. Identification by chromatographic retention time comparison with a reference standard.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
4/16/2026

COA #: COA-2026-U0J8P4
Access Code: F5QWZEJU
Verify: <portal.ils-lab.com/verify/m6aMu4h-c5fPtxoS>
Issued: 4/16/2026



Certificate of Analysis

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Selank - 10mg

Tested for: NextGen Peptides

PASS

COA #: COA-2026-U0J8P4
Lot Number: SL05
Concentration: 10mg
Received: 04/08/2026

Method: Full QC Panel, Purity & Quantit...
Analysis Date: 04/16/2026
Appearance: Good
Volume: 3mL



Scan to verify
authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Elemental impurities analyzed by Inductively Coupled Plasma Mass Spectrometry (ICP-MS) per USP <233> methodology.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
4/16/2026

COA #: COA-2026-U0J8P4
Access Code: F5QWZEJU
Verify: portal.ils-lab.com/verify/m6aMu4h-c5fPtxoS
Issued: 4/16/2026