Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tesamorelin / Ipamorelin - 13mg

PASS

8x Tested

Tested for: NextGen Peptides
www.NGpeptide.com

COA #:	**COA-2026-FTEABA**	Analysis Date:	**10/19/2026**
Lot Number:	**TSPA-10**	Appearance:	**Good**
Accession #:	**ACC-2026-22881**	Volume:	**3mL**
Labeled Content:	**13mg**	Date Received:	**10/12/2026**

Scan to verify authenticity at ils-lab.com
Access Code: ATEPXUZC

Method: **Blend Purity, Identity & Quantitation (HPLC), Sterility (PCR), Endotoxin (USP <85>), Heavy Metals (ICP-MS)**

Identity	Peptide Purity	
Tesamorelin / Ipamorelin	**99.88%**	Fentanyl Free




Tesamorelin / Ipamorelin 13mg - TSPA-10

Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.88%**	%	PASS
Net Blend Peptide Content	Report Only	**13.77**	mg	N/A
-- Tesamorelin		*11.18*	*mg*	
-- Ipamorelin		*2.59*	*mg*	
Identity (HPLC-RTM)	TESAMORELIN + IPAMORELIN	**Confirmed**	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	PASS

HPLC Chromatogram



Representative chromatogram, Dedicated V0

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.66%	13.54 mg	Confirmed	PASS
Conformity V1	99.88%	13.77 mg	Confirmed	PASS
Conformity V2	99.31%	13.55 mg	Confirmed	PASS
Mean	**99.62%**	**13.62 mg**	—	—
Std Dev	**0.2347%**	**0.1061 mg**	—	—

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1.0 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10.0 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**NMT 0.05 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 10/19/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be Tesamorelin / Ipamorelin by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Per-component content determined by individual peak integration. Not all labeled components may be present.
7. Chromatogram shown is representative: Dedicated V0 (99.66% purity, closest to batch mean of 99.62%).
8. Quality System: ILS Laboratories operates an ISO/IEC 17025 quality management system. Peptide testing is performed for Research Use Only.
9. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

ILS LABS

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
10/19/2026

COA #: **COA-2026-FTEABA**
Access Code: **ATEPXUZC**
Verify: portal.ils-lab.com/verify/ygKOnvEHRPt3_EQk
Issued: 10/19/2026