Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

KPV caps - 250mcg

PASS

8x Tested

Tested for: NextGen Peptides
www.NGpeptide.com

COA #:	**COA-2026-Z2XSEZ**	Analysis Date:	**10/22/2026**
Lot Number:	**kpvcap01**	Appearance:	**Good**
Accession #:	**ACC-2026-23501**	Volume:	**30mL**
Labeled Content:	**250mcg**	Date Received:	**10/19/2026**

Method: **Full QC Panel**

Scan to verify authenticity at ils-lab.com
Access Code: NUAKCE9F

Identity	Peptide Purity	
KPV caps	**99.05%**	Fentanyl Free



KPV caps 250mcg - kpvcap01

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.05%**	%	**PASS**
Net Peptide Content	Report Only	**0.26**	mg	N/A
Identity (HPLC-RTM)	KPV	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Chromatogram, Dedicated V0 (99.05% purity)

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.05%	0.26 mg	Confirmed	**PASS**
Conformity V1	98.95%	0.26 mg	Confirmed	**PASS**
Conformity V2	98.53%	0.26 mg	Confirmed	**PASS**
Mean	**98.84%**	**0.26 mg**	—	—
Std Dev	**0.2253%**	—	—	—

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	Detected	**PASS**
Lead (Pb)	NMT 1.0 ppm	Detected	**PASS**
Mercury (Hg)	NMT 1.5 ppm	Detected	**PASS**
Chromium (Cr)	NMT 10.0 ppm	Detected	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**0.051 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Certificate Change History **ILS QA**

Revision 2 – reissued October 31, 2026
Certificate statement updated. Test results are unchanged. Supersedes the original issued 10/22/2026.

Notes & Methodology

1. Date Tested: 10/22/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be KPV caps by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown: Dedicated V0 (99.05% purity).
7. Quality System: ILS Laboratories operates an ISO/IEC 17025 quality management system. Peptide testing is performed for Research Use Only.
8. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

ILS LABS

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
10/22/2026

COA #: **COA-2026-Z2XSEZ**
Access Code: **NUAKCE9F**
Verify: portal.ils-lab.com/verify/YTC5Jm30hHFj6hj6
Issued: 10/22/2026